2020-2025 Forest Development Plan for Nisga'a Public Land Licence

January 1, 2021 to December 31, 2025

Public Review and Comment Period

November 3, 2020 to December 3, 2020

Prepared by:

K'Alii Aks Timber Corporation

Sam Coggins, RPF

Date: October 27, 2020

Executive Summary

This Forest Development Plan (FDP) replaces the *Nisga'a Lisims Government Forest Development Plan dated July 6, 2020.* It proposes forest management direction and forest practices that are consistent with the *Nisga'a Final Agreement*, legislative direction from the *Nisga'a Forest Act*, higher-level plan guidance from *A Land Use Plan for Nisga'a Lands (2002)*, previous public input, and other applicable natural resource plans, reports, orders and guidance. The FDP document follows the format and content of the previous plan submission. Forestry operations will be conducted by Registered Forest Professionals in good standing with Association of British Columbia Forest Professionals.

The K'Alii Aks Timber Corporation FDP provides Nisga'a citizens, the general public, government resource agencies, and private interests with information on the location and scheduling of proposed timber harvesting, road construction, road maintenance, road deactivation and other related activities on Nisga'a Public Land from January 1, 2021 to December 31, 2025.

The FDP outlines forest practices to conserve and manage forest resources and features such as timber, biodiversity, soil, water, fisheries, riparian areas, wildlife, visuals, cultural and heritage uses, recreation, and botanical forest products.

The Forest Development Plan strives to "balance" environmental, social and economic forest values. No pesticides or herbicides will be used or prescribed for any aspect of forest management by K'alii Aks Timber Corporation (K'Alii Aks).

K'Alii Aks commits to update the FDP on an annual basis, updating the past year's harvest, adding another year of harvest, updating reforestation status and continuously improving the content and commitment to stewardship in the FDP.

K'Alii Aks commits to host public open houses up-to twice a year in Nisga'a communities to solicit citizens input, improve citizen communications, and to inform Nisga'a citizens about the K'Alii Aks business.

The new FDP assumed an Annual Harvest Level of 130,000 m³ per year. It proposes 40 cutblocks, with an average size of 38.5 ha. The total proposed harvest area is 1,541 ha at an estimated timber volume of 695,412 m³ or an average 139,082 m³ per year. Additional volume above the Annual Harvest Level has been identified and included to accommodate cutblock scheduling changes and unforeseen circumstances such as changing log markets, poor cutblock merchantability, and access and land use constraints.

The FDP proposes the construction of 56.7 km of roads, mostly spur roads, and the maintenance of 129 km of roads including branch roads and mainlines. Each year there will be approximately 11.3 km of new road construction and 25.8 km of maintenance.

| <u>Table</u> | of Con | tents | | | Page |
|--------------|-----------|----------|-------------|---|------|
| Exec | utive Sur | nmary | | | 2 |
| 1.0 | Purpo | se | | | 5 |
| | 1.1 | Backg | ground | | 5 |
| | 1.2 | Mana | gement Pl | hilosophy | 5 |
| | 1.3 | Legisl | ative Fran | nework for Forest Development Plan | 6 |
| | 1.4 | Strate | gic Plans, | Reports, and Assessments | 6 |
| 2.0 | Forest | t Develo | pment Pla | an Scope of Work | 6 |
| | 2.1 | Buildi | ng on Prev | vious Forest Development Planning Work | 6 |
| | 2.2 | 2020 - | – 2025 Fo | rest Development Plan | 7 |
| | 2.3 | Fores | t Developr | ment Plan Guiding Parameters for Cutblock Selection | 7 |
| | 2.4 | Fores | t Developr | ment Plan in Numbers | 9 |
| | 2.5 | Fores | t Developr | ment Plan Five Year Cutblock and Road Activity | 10 |
| | 2.6 | Fores | t Developr | ment Plan Timber Profile by Species | 13 |
| | 2.7 | Areas | with Futu | re Development Potential | 14 |
| | | 2.7.1 | Kwinam | uck Operating Area | 14 |
| | | 2.7.2 | Monkley | Bay Log Dump Operating Area | 14 |
| | | 2.7.3 | Burton (| Operating Area | 15 |
| | 2.8 | Highe | r Level Pla | an Integration | 15 |
| | 3.0 | Fores | t Practices | s to Conserve and Manage Forest Resources | 16 |
| | 3.1 | Fores | t Health | | 16 |
| | | 3.1.1 | Pests ar | nd Pathogens | 16 |
| | | | 3.1.1.1 | Spruce Bark Beetle | 16 |
| | | | 3.1.1.2 | Mountain Pine Beetle | 16 |
| | | | 3.1.1.3 | White Pine Weevil | 17 |
| | | | 3.1.1.4 | Red Band Needle Rust | 17 |
| | | | 3.1.1.5 | Hemlock Dwarf Mistletoe | 17 |
| | | | 3.1.1.6 | Porcupine | 18 |
| | | | 3.1.1.7 | Snowshoe Hare | 18 |
| | | | 3.1.1.8 | Meadow Vole | 18 |
| | | | 3.1.1.9 | Root Rot Pathogens | 18 |

| | | | 3.1.1.10 Other Pests and Pathogens | 18 |
|-----|--------|----------|--|----|
| | | 3.1.2 | Fire Preparedness Plan | 18 |
| | | 3.1.3 | Windthrow | 19 |
| | | 3.1.4 | Reforestation | 20 |
| | 3.2 | Water | Resources | 21 |
| | 3.3 | Fisheri | ies | 21 |
| | 3.4 | Riparia | an Management | 22 |
| | 3.5 | Wildlife | е | 23 |
| | | 3.5.1 | Moose | 24 |
| | | 3.5.2 | Mountain Goat | 24 |
| | | 3.5.3 | Grizzly Bear | 25 |
| | | 3.5.4 | Fisher, Marten and Other Furbearers | 25 |
| | | 3.5.5 | Coastal Tailed Frog | 26 |
| | | 3.5.6 | Great Blue Heron, Marbled Murrelet, Keen's Long-eared Myotis | |
| | | | and Northern Goshawk | 26 |
| | | 3.5.7 | Wolverine | 27 |
| | 3.6 | Botani | cal Forest Products | 27 |
| | 3.7 | Biologi | ical Diversity | 28 |
| | 3.8 | Soils a | and Terrain Stability | 29 |
| | 3.9 | Timbe | r Salvage | 30 |
| | 3.10 | Cultura | al Heritage Resources and Archaeological Sites | 30 |
| | 3.11 | Recrea | ation | 31 |
| | | 3.11.1 | Designated Recreation Sites | 32 |
| 4.0 | Time S | Schedule | e for Referral & Public Consultation | 33 |
| 5.0 | Appen | dices | | 34 |
| | | | | |

1. Purpose

K'alii Aks Timber Corporation 's Forest Development Plan (FDP) provides Nisga'a citizens, the general public, government resource agencies, and private interests with information on the location and scheduling of proposed timber harvesting, road construction, road maintenance, road deactivation and other related activities on Nisga'a Public Lands for the five-year period from January 1, 2021 to December 31, 2025.

The FDP outlines forest practices to conserve and manage forest resources and features such as timber, biodiversity, soil, water, fisheries and riparian areas, wildlife, cultural and heritage uses, recreation and tourism, and botanical forest products.

The FDP contains a text document and a series of 1:20,000 and 1:50,000 scale maps.

1.1 Background

Beginning in 2005, FDP's were submitted by Lisims Forest Resources (LFR), the holder of the Nisga'a Public Lands Licence (NPLL) to the Director of Lands and Resources (the Director) for approval under section 19 (1.1) of the *Nisga'a Forest Act (Forest Act)*. On March 31, 2020 LFR's NPLL expired. After March 2020, the Nisga'a Lisims Government prepared and approved an FDP for use with Timber Harvesting Licences. On January 1, 2021 K'Alii Aks will be issued an NPLL and is required under the terms of the licence to submit an FDP to the Director for approval.

Contained within this FDP are cutblocks and roads that were in the NLG FDP and LFR NPLL FDP. These are shown as *approved* within this FDP. Other new or significantly revised cutblocks and roads are shown as *proposed* on the associated FDP maps.

1.2 Management Philosophy

Management of the forest resources on Nisga'a Public Lands will be to the standards required by the *Nisga'a Forest Act*. The FDP strives to meet a 'balance' of environmental, social and economic forest values. Timber harvesting will remain focused on mature stands and old growth, and within the next 10 years start to include stands of timber that were previously harvested – 'second growth'. When planning timber harvesting attention is given to values such as water quality and quantity; visual sensitivity; old growth retention; recreation; forest health; wildlife habitat; community water supply; local employment; safety; environmental protection.

Regular public involvement and feedback is necessary to ensure a 'balance' of values is maintained. All plans and information supporting those plans will be available for public review at the K'Alii Aks office. K'Alii Aks will host a website and social media accounts to improve communications, In the future when it is safe, K'Alii Aks will host public open houses in Nisga'a communities to solicit additional input from Nisga'a citizens and others, and to inform interested parties about K'Alii Aks ongoing forest management activities.

K'Alii Aks proposes that the FDP be a rolling 5-year plan, meaning the FDP will be updated and amended with another year of cutblocks on an annual basis. The FDP will show the past year of

harvest and road construction activity, the addition of a new year of proposed timber harvest, and the status of cutblock reforestation. K'Alii Aks stewardship initiatives would also be included in the update as well.

1.3 Legislative Framework for Forest Development Planning

The *Nisga'a Final Agreement* and *the Nisga'a Forest Act* are the legislation that govern forest management on Nisga'a Lands. *Part 4, sections 19-24* of the *Forest Act* set out the primary legislative requirements that apply to planning for forest harvesting on Nisga'a Public Lands.

Nisga'a Final Agreement

Chapter 5 and, where applicable, Appendix "H"

Nisga'a Forest Act

- Part 4, Sec. 19 requirement for the FDP: 'The holder of a Nisga'a Public Lands License must submit a forest development plan to the Director for approval'.
- Part 4, Sec. 20 term of the FDP: 'A forest development plan must address a period of at least five years unless the Director determines that a shorter period of time is appropriate'.

1.4 Strategic Plans, Reports, and Assessments

The K'Alii Aks FDP will utilize direction from the *Land Use Plan for Nisga'a Lands (December 2002)* (*Land Use Plan*), as well as guidance and advice from applicable strategic resource plans, reports, and assessments.

The FDP gives guidance and direction to operational plans such as Site Plans that prescribe specific practices to achieve management objectives and forest stewardship for each cutblock.

2.0 FOREST DEVELOPMENT PLAN SCOPE OF WORK

2.1 Building on Previous Forest Development Planning Work

Part of the work in preparing this FDP involved reviewing plans previously completed by Lisims Forest Resources for the NPLL as well as the following:

- Review the Nisga'a Final Agreement, the Nisga'a Forest Act, the Land Use Plan, the recently expired LFR NPLL and accompanying FDP, and the Nisga'a Public Lands 2020 – 2025 FDP
- Check the existing status of cutblocks and roads
- Check the accuracy of mapping updates from past operations
- Review best available land information for applicability to this FDP
- Identify cutblocks which have been approved and carried from plan to plan

 Review cutblocks which have been planned and/or engineered but not harvested for various reasons

2.2 2020 - 2025 Forest Development Plan

Part of the work in preparing this FDP involved collecting and reviewing new information such as the following:

- Analyze forest cover and contour maps, and aerial and ortho photography
- Collect data from aerial and ground reconnaissance
- Develop mapping to show the forested area suitable for sustainable management
- Identify feasible cutblocks on already built and active road systems
- Conduct field work to verify new cutblocks
- Review and update proposed forest management objectives and forest practices

For operating area planning, K'Alii Aks established 9 operating areas listed from the north: Kwinamuck; Nass Valley; Tseax; Ksedin; West Nass; Nass Bottomlands; Xnukw; Ishkheenickh; Burton. These areas were created to facilitate operational decisions and analysis and are not intended to or propose to create a legal designation. They are based on the existing access to the forest resource, traditional use, biogeoclimatic zone characteristics, interior vs coast, etc.

2.3 Forest Development Plan Guiding Parameters for Cutblock Selection

To facilitate the review and approval of the FDP, 1:20,000 maps were produced that show the *Land Use Plan* values and the Nisga'a forest resources. Cutblocks were evaluated based on the following parameters:

- Location: coastal vs interior; elevation; slope; access; site productivity
- Stand Characteristics: species composition; volume; density; age
- Commercial Characteristics: sawlog vs pulp content; presence of non-timber values
- Harvest Method and Season of Harvest: ground versus cable; winter versus summer
- Harvest System: clear felling; clear felling with reserves; partial cutting; uneven management; single tree selection; ecosystem based
- Market Flexibility: develop a diverse portfolio of ready to harvest cutblocks to meet current and forecast market demand
- **Financial:** reduce the cost of development by capitalizing on existing access infrastructure, and incorporating information from previous plans, engineering, studies, and harvesting into plans for new cutblocks and roads
- **Higher Level Plans:** utilize *Land Use Plan* direction

- Landscape Level Assessments: when necessary review and mitigate the impacts on seral stage distribution, water quantity and quality, terrain stability, and designated species and species at risk habitat
- **Site Level Assessments:** when necessary review and propose practices to incorporate landscape level assessment guidance.

The proposed annual harvest level ("AAC") for this FDP is 130,000 m³ per year. As the plan moves away from Year 1, the proposed annual volume identified exceeds 130,000 m³ to account for cutblocks that will be lost due to land use constraints, unmerchantability or inaccessibility, and to provide operational flexibility to capitalize on changing log markets. To meet these demands operations will vary the year to year sequence of proposed harvesting.

K'Alii Aks notes that previous NPLL's have accumulated a significant amount of undercut. The undercut represents unharvested AAC from previous years.

Should log markets support the harvest of more than the proposed AAC, and approved cutblocks are available, K'Alii Aks will propose harvesting the undercut.

As previously committed, K'Alii Aks will annually update the figures and tables in sections 2.4 and 2.5 to reflect the actual cutblock harvest and road construction operations of the previous year and to show a possible sequencing of approved cutblocks and roads for the remaining years covered by the FDP. These annual updates will not be considered as amendments to the FDP.

2.4 Forest Development Plan in Numbers

Table 1. FDP annual timber harvest volume.





Table 2. FDP annual timber harvest area.






Table 3. FDP annual road construction and road maintenance.

2.5 Forest Development Plan Five Year Cutblock and Road Activity

The following tables list the proposed annual harvest and road access plan.

Year 1:2021

| Year 1 | | | | | | | | |
|--------|-------------------|------------------------|--------------|------------------|-----------------------------|----------------------------|--|--|
| Block | 0 | Cutblock In | format | ion ¹ | Access Roads ² | | | |
| ID | Operating Area | Method Cable/Ground | Area (ha) | Volume (m³) | Construction Length (km) | Maintenance Length (km) | | |
| ANU606 | West Nass | C/GBS | 20.9 | 10,955 | 1.7 | 4.2 | | |
| DLK506 | Nass Valley | GBS | 30.1 | 10,665 | 0.0 | 6.8 | | |
| DLK708 | Nass Valley | GBS | 32.6 | 11,128 | 0.9 | 0.8 | | |
| KSD514 | Ksedin | C/GBS | 27.9 | 12,162 | 1.8 | 7.6 | | |
| KSD515 | Ksedin | C/GBS | 29.2 | 16,760 | 0.0 | 2.2 | | |
| KSD525 | Ksedin | C/GBS | 18.4 | 8,494 | 1.1 | 2.0 | | |
| KSD611 | Ksedin | GBS/C | 86.5 | 38,118 | 2.9 | 2.8 | | |
| KWT001 | Kwinamuck | GBS | 24.6 | 7,435 | 1.0 | 1.8 | | |
| KWT003 | Kwinamuck | GBS | 50.5 | 15,605 | 0.8 | 8.7 | | |
| | | Totals | 320.7 | 131,322 | 10.2 | 36.9 | | |

^{1, 2} Please refer to Appendices A and B for more details.

The selection of cutblocks and roads for year 1 (2020) is driven by existing cutting applications (KSD514, KSD515, KWT001, KWT003), completed engineering (DLK506, DLK708), and the current forest engineering (KSD525, KSD611, ANU701).

Year 2:2022

| Year 2 | Year 2 | | | | | | | | | | |
|----------------------|-------------|------------------------|----------|---------------------------|-----------------------------|----------------------------|--|--|--|--|--|
| | | Cutblock | Informat | Access Roads ² | | | | | | | |
| Block Operating Area | | Method Cable/Ground | | | Construction Length (km) | Maintenance Length (km) | | | | | |
| DLK201 | Tseax | GBS/C | 60.2 | 23,280 | 2.7 | 7.8 | | | | | |
| DLK204 | Tseax | GBS/C | 43.3 | 18,992 | 3.5 | 0.0 | | | | | |
| DLK509 | Nass Valley | GBS | 25.7 | 11,148 | 0.7 | 0.6 | | | | | |
| VET307 | Tseax | C/GBS | 28.0 | 12,770 | 0.8 | 4.7 | | | | | |
| KWT004 | Kwinamuck | C/GBS | 86.4 | 26,484 | 3.1 | 0.8 | | | | | |
| ANU701 | West Nass | C/GBS | 30.7 | 18,052 | 2.5 | 0.0 | | | | | |
| NAS203 | West Nass | C/GBS | 25.6 | 14,991 | 0.7 | 1.6 | | | | | |
| CAN001 | Kwinamuck | C/GBS | 33.6 | 17,131 | 0.0 | 7.6 | | | | | |
| | | Totals | 333.5 | 142,848 | 14.0 | 23.1 | | | | | |

^{1, 2} Please refer to Appendices A and B for more details.

The cutblocks selected for year 2 (2022) include engineered cutblock KWT004. The remaining cutblocks are anticipated to be engineered and submitted for approval in 2021. The goal is to complete engineering and approvals one year prior to harvesting.

Year 3:2023

| Year 3 | Year 3 | | | | | | | | | |
|-------------|-------------------|------------------------|--------------|-------------------|-----------------------------|----------------------------|--|--|--|--|
| | | Cutblock I | nformat | cion ¹ | Access Roads ² | | | | | |
| Block ID | Operating Area | Method Cable/Ground | Area (ha) | Volume (m³) | Construction Length (km) | Maintenance Length (km) | | | | |
| ANU702 | West Nass | C/GBS | 43.2 | 24,534 | 3.6 | 0.0 | | | | |
| CAN002 | Kwinamuck | C/GBS | 39.4 | 21,134 | 1.2 | 0.9 | | | | |
| DLK206 | Tseax | GBS/C | 44.2 | 20,849 | 1.6 | 0.0 | | | | |
| DSK101 | West Nass | GBS | 15.0 | 6,462 | 1.3 | 0.0 | | | | |
| DSK103 | West Nass | C/GBS | 53.5 | 33,977 | 1.4 | 0.0 | | | | |
| DSK104 | West Nass | GBS/C | 11.6 | 5,301 | 1.4 | 1.7 | | | | |
| KWT005 | Kwinamuck | GBS | 67.3 | 18,839 | 3.1 | 3.3 | | | | |
| VET309 | Tseax | GBS/C | 31.6 | 9885 | 0.0 | 5.7 | | | | |
| | | Totals: | 305.8 | 140,981 | 13.6 | 11.6 | | | | |

^{1, 2} Please refer to Appendices A and B for more details.

Year 4:2024

| Year 4 | Year 4 | | | | | | | | | |
|-------------|-------------------|------------------------|--------------|------------------|-----------------------------|----------------------------|--|--|--|--|
| | | Cutblock I | nformat | ion ¹ | Access | Roads ² | | | | |
| Block ID | Operating Area | Method Cable/Ground | Area (ha) | Volume (m³) | Construction Length (km) | Maintenance Length (km) | | | | |
| ANU751 | West Nass | C/GBS | 49.9 | 431,635 | 2.0 | 2.9 | | | | |
| DLK007 | Nass Valley | GBS | 43.8 | 18,914 | 1.1 | 5.9 | | | | |
| DSK510 | Nass Valley | GBS | 14.4 | 5,921 | 0.7 | 3.1 | | | | |
| DLK900 | Tseax | C/GBS | 25.8 | 9,899 | 1.0 | 0.0 | | | | |
| ISH501 | Ishkheenickh | C/GBS | 15.7 | 7,011 | 0.0 | 0.4 | | | | |
| ISH510 | Ishkheenickh | C/GBS | 52.0 | 29,074 | 1.7 | 4.7 | | | | |
| ISH511 | Ishkheenickh | C/GBS | 34.2 | 19,449 | 1.2 | 3.7 | | | | |
| ISH602 | Ishkheenickh | C/GBS | 37.8 | 22,274 | 1.2 | 1.8 | | | | |
| | | Totals: | 279.6 | 140,177 | 7.2 | 19.4 | | | | |

^{1, 2} Please refer to Appendices A and B for more details.

Year 5:2025

| Year 5 | Year 5 | | | | | | | | | |
|-------------|-------------------|------------------------|---------|-----------------------------|----------------------------|------|--|--|--|--|
| | | Cutblock I | nformat | ion¹ | Access Roads ² | | | | | |
| Block ID | Operating Area | Mothod Aroa Volumo | | Construction Length (km) | Maintenance Length (km) | | | | | |
| NAS150 | West Nass | C/GBS | 61.6 | 36,273 | 2.3 | 4.0 | | | | |
| DLK106 | Tseax | C/GBS | 53.1 | 23,810 | 1.9 | 6.8 | | | | |
| DLK170 | Tseax | C/GBS | 18.9 | 9,300 | 0.6 | 3.2 | | | | |
| DLK180 | Tseax | C/GBS | 19.5 | 8,424 | 0.5 | 1.8 | | | | |
| DLK508 | Nass Valley | GBS | 54.0 | 21,013 | 2.6 | 5.0 | | | | |
| KSD700 | Ksedin | C/GBS | 26.5 | 12,239 | 1.0 | 3.8 | | | | |
| KSD701 | Ksedin | C/GBS | 67.5 | 27,268 | 1.8 | 3.4 | | | | |
| | | Totals: | 301.1 | 140,084 | 9.9 | 30.3 | | | | |

^{1, 2} Please refer to Appendices A and B for more details.

The Block Table in Appendix A and the Road Table in Appendix B provide more detailed information about FDP cutblocks and roads.

2.6 Forest Development Plan Timber Profile by Species

Table 4. 2021-2025 FDP species volume distribution.





Table 5. 2021-2025 FDP species percentage distribution.



A portion of the proposed cutblocks are at higher elevations which increases subalpine fir (*Abies lasiocarpa*) content. Subalpine fir is combined with amabilis fir (*Abies amabilis*) in column "BA". Column "Other" contains deciduous species (cottonwood, birch, aspen and alder).

2.7 Areas of Future Potential Development

Three areas have been identified that require specific attention to capitalize on the timber harvesting opportunity – Kwinamuck, Monkley Bay, and Burton. The Kwinamuck area (Appendix C) has been assessed before but has not been developed due to various uncertainties involving the cost of access and the management of non-timber values. The Monkley Bay and Burton areas have been in previous FDP's, but due to the significant access costs development did not occur (Appendix D & E). Reducing access costs will be key and may be done so through volume, timing, and alternate methods of access. This FDP presents potential cutblocks in these areas for information and discussion purposes only and not for specific cutblock approval.

2.7.1 Kwinamuck Operating Area (Appendix C)

The land use constraints that affect access to timber in many areas of the Licence has made it necessary to evaluate timber harvesting in the Kwinamuck area. This area has never been included in an FDP. K'Alii Aks understands that an NLG Executive resolution is required to open this area for timber harvesting. A reconnaissance of the area has found it can be accessed from the Canyon mainline via a bridge over the Ksga'maal creek.

In 2007 a forest resources feasibility report was completed on the Kwinamuck area. Part of the report proposed the development of a total chance timber harvest plan based on access and operational considerations. K'Alii Aks will review the report and other information, discuss the future development with NLG Lands and Resources, and subsequently seek NLG Executive approval to proceed with detailed development planning and the harvest of timber within 5 years.

The Kwinamuck area is an accessible part of the Nisga'a timber harvesting land base and if opened may yield more than 400,000 m³ of timber harvest. This equates to one average sized cutblock every year for the next 32 years. Access into this area will create an opportunity for the Gitlaxt'aamiks Village to access Gitlaxt'aamiks Village Lands along the northside of the Nass River. Access to these areas would facilitate Gitlaxt'aamiks Village timber harvesting opportunities, wildfire prevention, and the harvesting of over mature Hemlock-Pine stands.

The cutblocks presented in Appendix C, are for discussion purposes only, no approval is being proposed. The total area of the initial seven cutblocks is 233 ha with an estimated volume of 79,867 m3.

2.7.2 Monkley Bay Log Dump Area (Appendix D)

The Monkley Bay Log Dump area is loosely defined as west of Ksi Hlginx Creek following along the Nass River to the northwest corner of former IR12 - Lacktesk. There are six previously approved cutblocks in the Monkley area (ISH001, ISH002, ISH003, ISH004, ISH005, ISH006).

Due to significant access challenges and costs, the harvest of these cutblocks did not occur. These cutblocks are not included in this FDP submission. The timber values are high in this area, and the plan is to design a harvest sequence of economic timber volume that can be accessed periodically through the Monkley log dump, or working with NLG access the timber through the construction of a strategic access corridor. K'Alii Aks will complete a sequencing and reconnaissance exercise and then present the area for FDP approval within 5 years.

The cutblocks presented in Appendix D, are for information purposes only. The total area of the seven cutblocks is 298 ha with an estimated volume of 121,451 m3.

2.7.3 Burton Operating Area (Appendix E)

There are three previously approved cutblocks in the Burton watershed (BUR001, BUR002, BUR003 - 2014-2019 FDP). These cutblocks are not included in this FDP due to a lack of information and an analysis of the economics, access conditions, and environmental considerations.

A review of the Burton aerial photography has identified additional conventional harvest cutblocks. The plan is to design a watershed level plan that identifies a significant volume of economic timber to be accessed in one or two seasons through the Burton log dump. Once this is completed, K'Alii Aks will present the area for approval.

The cutblocks presented in Appendix E, are for information purposes only. The total area of the seven cutblocks is 209 ha with an estimated volume of 122,687 m3.

2.8 Higher Level Plan Integration

The document *A Land Use Plan for Nisga'a Lands* (2002) is the higher-level plan for Nisga'a Lands and K'Alii Aks FDP takes management direction from the *Land Use Plan*. Direction that includes objectives and limitations on timber harvesting in community watersheds, visual quality management, botanical forest products zones, and access management planning. Any forest operations that are not consistent with the *Land Use Plan* require approval by the Executive.

The Land Use Plan impacts the available timber harvest volumes on Nisga'a Public Lands, and its constraints are intended to conserve values that were determined 20 years ago through public consultation and approved by the Nisga'a Lisims Government Executive. Higher level plans need to be living documents that reflect changing circumstances.

3.0 FOREST PRACTICES TO CONSERVE AND MANAGE NATURAL RESOURCES

3.1 Forest Health

Forest health is the responsibility of the NLG to monitor, report on, fund, and give management direction. Maintaining forest health through suitable harvest plans and practices is the responsibility of K'Alii Aks. Forest health will impact tree growth and survival, wood yield and quality, as well as non-timber values such as fish and wildlife habitat, and recreational, scenic, botanical, and cultural values. K'Alii Aks is unaware of any major forest health concerns or infestations on Nisga'a forested lands. K'Alii Aks silviculture surveys of cutblocks will note areas with significant damaging agents or pests and make recommendations to manage the problem. NLG provides oversight for pest and disease issues on Nisga'a Lands, management plans, and the funding for mitigation measures. K'Alii Aks may conduct the mitigation measures.

3.1.1 Pests and Pathogens

3.1.1.1 Spruce Bark Beetle (Dendroctonus rufipennis)

In the province of BC there is a serious spruce bark beetle outbreak occurring along the rocky mountain trench from north of Mackenzie to 100 Mile House. Since 2016, spruce bark beetle activity has been of concern on Nisga'a forest lands. It is directly associated with spruce leading timber types, small pockets of spruce trees, and spruce windthrow.

In 2018 NLG directed the deployment of trap trees and pheromone traps, and in 2019 LFR conducted "sanitation" timber harvesting of susceptible spruce stands in the Fulmar creek north area (VET303, SAN001, SAN002, SAN003). LFR was also contracted by the BC Ministry of Forests, Lands and Natural Resource Operations and Rural Development (FLNRORD) to implement a trap tree prescription program outside Nisga'a Lands in the Fulmar creek north area.

In 2019, LFR conducted spruce bark beetle reconnaissance probes in the ANU700 area to determine beetle activity in susceptible stands. It found no areas of immediate concern.

K'Alii Aks management strategy is to monitor areas through its normal ground based activities (engineering, timber harvesting, silviculture, road maintenance), and if an area of concern is identified, notify NLG and then conduct a ground inspection to identify the infestation sites and verify the severity of damage. Then working with NLG develop a control plan or outbreak management plan. The plan may include practices such as fall and burn of infested trees and timber salvage.

3.1.1.2 Mountain Pine Beetle (Dendroctonus pondersae)

The mountain pine beetle outbreak in the interior of BC collapsed several years ago mainly due to the lack of host pine stands. The likelihood that epidemic infestations of mountain pine beetle may impact lodgepole pine stands within Nisga'a Lands still exists and K'Alii Aks will continue its normal

monitoring practices, as described for spruce beetle infestations. In 2008 a mountain pine beetle management plan was developed by NLG, and K'Alii Aks proposes to work with NLG at updating the plan.

Similar to spruce beetle, K'Alii Aks management strategy for mountain pine beetle is to monitor areas through our normal ground-based activities (engineering, timber harvesting, silviculture, road maintenance), and if an area of concern is identified, notify NLG and then conduct a ground inspection to identify the infestation sites and verify the severity of damage. Then working with NLG develop a control plan or outbreak management plan. The control plan may include practices such as fall and burn of infested trees, and timber salvage, and altering cutblock reforestation standards in favour of other non-pine tree species.

3.1.1.3 White Pine Weevil (Pissodes strobi)

White pine weevil attacks the terminal leaders of regenerated spruce trees reducing stand growth and timber quality throughout Nisga'a forest lands. K'Alii Aks management strategy is to minimize the impact of white pine weevil through reducing the number of spruce seedlings planted on a site, managing for higher or denser levels of initial conifer stocking, and or maintaining a deciduous tree cover over regenerating spruce trees.

3.1.1.4 Red Band Needle Rust (Dothistroma pini.)

Red band needle rust is a fungus that infests juvenile lodgepole pine stands and may cause significant mortality in stands found in the northern portion of Nisga'a forest lands. The disease depends on continued moist weather conditions so the intensity of spread may vary from year to year. K'Alii Aks management strategy when juvenile pine plantations are failing due to needle rust is where possible amend silviculture plans to include fill planting with alternate conifer species (nonpine). In areas of known needle rust, silviculture plans will where possible limit planting of lodgepole pine to less than 20% of total stocking.

3.1.1.5 Hemlock Dwarf Mistletoe (*Arceuthobium tsugense*)

Hemlock dwarf mistletoe has minimal impact on tree growth. It is endemic in the over-mature western hemlock stands within the northern portion of Nisga'a forest lands. It primarily attacks western hemlock, although the secondary hosts, Sitka spruce and amabilis fir are also susceptible. Due to the ease by which mistletoe spreads from overstory trees to understory trees, K'Alii Aks management strategy in infected areas selected for harvest will be clear-cutting. All infected residuals greater than 2 meters in height that are not required for riparian management, wildlife tree patches, or wildlife tree management purposes will be slashed. Planting of species not susceptible to infection will be specified adjacent to infected timber edges.

Small Mammals

3.1.1.6 Porcupine (*Erethizon dorsatum*)

Damage is most prevalent in the pole stage of the western hemlock and sitka spruce stands. Lodgepole pine stands are also susceptible to damage. K'Alii Aks management actions to limit porcupine damage include through managing for a mixture of tree species on regenerating cutblocks; favoring other tree species over hemlock, spruce and pine during stand tending; retaining previously damaged "sacrifice trees"; avoiding stand tending in areas with >2% current feeding damage.

3.1.1.7 Snowshoe Hare (Lepus americanus)

Damage has been limited in recent years but is variable due to population cycles. It appears snowshoe hare populations are currently in decline. K'Alii Aks will monitor snowshoe hare damage and adjust its planting, brushing and thinning programs as required to address anticipated snowshoe hare damage. Sites at highest risk are brushy sites slated for fill planting.

3.1.1.8 Meadow Vole (*Microtus pennsylvanicus*)

In the past, the meadow vole has caused damage to regenerating stands within Nisga'a Lands. Current management controls include not planting during peak population cycles.

3.1.1.9 Root Rot Pathogens

Tree root rot occurs at endemic levels on Nisga'a forest land and damage is normally localized and relatively insignificant. The most common root rots are annosus root disease (*Heterobasidion annosum*), armillaria root disease (*Armillaria ostoyae*), and tomentosus root rot (*Inonotus tomentosus*).

3.1.1.10 Other Pests and Pathogens

Other pests and pathogens present on Nisga'a Lands include western balsam bark beetle (*Dryocoetes confuses*), yellow-cedar decline, and aspen leaf minor (*Phyllocnistis populiella*). For various reasons these pests are unlikely to have significant economic impact within Nisga'a forest lands but will be considered for more active management if conditions change.

3.1.2 Fire Preparedness Plan

The government of British Columbia is responsible for the control and suppression of forest fires on Nisga'a Public Lands, and NLG is responsible for the control and suppression of forest fires on Nisga'a Village Lands and Nisga'a Private Lands.

K'Alii Aks must comply with the forest fire and prevention provisions in the *Nisga'a Forest Act*, *Part 9, Division 1 and 2*, and the BC *Wildfire Act*. K'Alii Aks will annually submit to NLG a Fire Preparedness Plan.

Forest Practices to Conserve and Manage

Road and cutblock design and prescriptions will consider fuel breaks and wildfire prevention.

K'Alii Aks is committed to ensuring potential forest fire fuels produced by operations do not pose an unacceptable risk to identified values and may employ modified harvesting methods that limit fire hazard and risk.

All logging activities will ensure that excess slash accumulations can be disposed of in a safe orderly manner eliminating both fire and insect hazards. Upon completion of timber harvesting activities, completed blocks and roadways will be assessed to determine if treatments are required for reforestation and hazard abatement purposes.

Appropriate treatments will be prescribed to satisfy forest protection, silvicultural and ecological management objectives, such as the retention of coarse woody debris for the maintenance of biodiversity and soil nutrients.

Specific treatments may include prescribed burning and pile burning. Prescribed burning may be used as a silvicultural tool to reduce fuel loading or for pest management. Burning strategies will be timed to minimize the risk to other resources (usually before or after the fire season) and follow provincial venting requirements.

Immediate action will be taken to extinguish any fires that may ignite due to timber harvesting operations. All fires will be reported immediately to NLG and other authorities as per the Fire Preparedness Plan.

3.1.3 Windthrow

Windthrow can be categorized as normal or catastrophic. Normal windthrow occurs on a smaller scale in areas that have an inherently higher hazard such as block edges and ridges, or in areas of frequent high winds. Catastrophic windthrow is an event that occurs infrequently when exceptionally strong winds caused extensive damage to large areas of standing timber.

Windthrow can have a significant impact on fisheries habitat if riparian management areas are impacted by blowdown or where windthrow creates conditions that may cause sediments to be introduced into a stream. Windthrow on sensitive soils may also lead to slope failures or slides. Areas of windthrow will be assessed to determine if the salvage of damaged timber is feasible.

Forest Practices to Conserve and Manage

To minimize the risk of windthrow when planning timber harvesting K'Alii Aks will utilize information such as blowdown history, prevailing winds, topography, stand structure, and soil conditions. Areas that are determined to be at moderate to high risk of windthrow will be identified during block planning and managed through appropriate block design. Possible practices to reduce the amount of windthrow include minimizing the amount of exposed timber edge to prevailing winds, maintaining

wide buffers or leave strips along susceptible stands, clear-cutting high hazard stands or topographic features, and mechanical pruning or topping to establish a wind-firm edge. In areas with very high non-timber values, edge stabilization treatments such as feathering or limbing and topping will be considered.

In a catastrophic windthrow event, an assessment of the affected area will be conducted to determine the extent of the damage, the forest health risk, and the feasibility of implementing a timber salvage plan for the area. If it is determined the salvage must occur, K'Alii Aks will prepare a timber salvage plan and apply to amend the FDP as required. The time between the event and salvage of the timber is critical to minimizing forest health risk and capturing timber value.

3.1.4 Reforestation

K'Alii Aks NPLL requires it to reforest areas harvested under this FDP, and K'Alii Aks Timber Harvesting Licence, as well as areas previously harvested under LFR's Timber Harvesting Licence and LFR's NPLL's.

K'Alii Aks will make deposits into a cutblock Silviculture Levy Account to fund the cost of reforestation for the cutblocks it harvests. K'Alii Aks is not responsible to fund reforestation costs for cutblocks harvested by LFR. LFR made reforestation deposits for all cutblocks it harvested. Areas harvested by other licensees remain the responsibility of the other licensee or the Ministry of Forests Lands and Natural Resource Operations and Rural Development (FLNRORD).

Forest Practices to Conserve and Manage

Harvested areas will be reforested to contain at least the minimum number of crop trees per hectare as determined by the stocking standards for the area unless different measures are prescribed to accommodate other forest values. Methods and strategies for adequately reforesting harvested areas are described within the Site Plan for individual blocks. K'alii Aks will use standard reforestation methods as prescribed by a Registered Professional Forester (in good standing with the Association of British Columbia Forest Professionals). Maintenance of minor species such as cedar may be prescribed. Following the establishment of crop trees, appropriate treatments to encourage crop tree vigor such as brushing and weeding or spacing may be prescribed.

K'alii Aks is committed to promoting cedar in its reforestation efforts and planting cedar on suitable sites in reforested blocks will help ensure a continuous supply of cedar over time for cultural purposes. However, cedar is less drought tolerant than other species, and overall drier climatic conditions due to climate change may mean that stocking standards will need to be adjusted in silviculture plans if forest health concerns are noted.

K'Alii Aks predecessor LFR was successful in meeting its reforestation obligations. K'Alii Aks is currently reviewing and confirming the current status of each harvested cutblock, i.e., stocked, not stocked, and free-to-grow. Free-to-grow generally means that a new crop of ecologically appropriate trees of a minimum height and density, and free of pests and competition can be expected to grow to maturity. For cutblocks that are not stocked or free-to-grow, K'Alii Aks will prescribe treatments such as fill-planting, brushing, spacing, or additional surveys to establish a free-to-grow cutblock.

K'Alii Aks will not prescribe or use pesticides or herbicides for any aspect of forest management.

3.2 Water Resources

Water resource management objectives include the maintenance of water quality and quantity for domestic, recreational, agricultural and industrial use, and for wildlife and fisheries needs. The *Land Use Plan* directs that no industrial activity be permitted within areas identified as community watersheds. The *Land Use Plan* allows other activities within the community watershed with permission from the Lands and Resources Directorate, and only if the activity clearly presents no threat to the quality or quantity of potable water, such as the Northwest Transmission Line.

Timber harvesting can be conducted in a manner that presents minimal to no threat to potable water, and where communities source potable water from wells or water treatment systems, there would be no threat to a community's potable water supply. K'Alii Aks proposes to initiate discussions around the opportunity to harvest timber in community watersheds. The discussions would cover the best practices that would be taken to minimize risks to water quality and quantity, and the potential area that K'Alii Aks would propose as a trial.

Certain forest health issues such as spruce bark beetle and mountain pine beetle, or a wildfire may present a threat to the health of a community watershed, specifically water quality. Early mitigation of a pest or disease in a watershed through timber harvesting may be appropriate and prevent further mortality to trees within and outside a watershed. If a forest health issue determines that timber harvesting is a viable option within a community watershed, then protection of water quality and quantity will be the primary objective.

Forest Practices to Conserve and Manage

The strategies that K'Alii Aks may prescribe to protect water quality may involve some or all of the following: the designation of riparian management areas; machine free zones; fell and yard away techniques around watercourses; terrain stability assessments; prescriptions to avoid unstable sites; hydrological assessments; minimal disturbance road construction; reduced roads; capping roads, ditch drainage and sediment controls; total chance planning.

3.3. Fisheries

The Nass River and its tributaries are one of the most productive fish bearing river systems in British Columbia. The cultural, economic, and social importance of salmon to the Nisga'a Nation and other indigenous people require K'Alii Aks to mitigate any disruption of fish or fish habitat from forestry activities.

The objective for the fisheries resource is to maintain and/or restore the integrity of all aquatic systems supporting fish.

Forest Practices to Conserve and Manage

Subject to the *Nisga'a Final Agreement*, NLG, the BC Ministry of Environment and Climate Change (MoECC), and the Department of Fisheries and Oceans Canada ("DFO") each play a role in the management of fisheries and fish habitat on Nisga'a Lands.

Proper identification and classification of all riparian areas will enable protection of fish populations and habitats. The FDP maps identify all mapped streams, lakes and wetlands. Unless the stream has been inventoried for fisheries values, the FDP planning process will use a default system of stream gradient and estimated stream width to conservatively classify streams.

Non-inventoried streams with less than a 20% gradient and without discernible obstructions are, by default, classified as fish bearing streams. Non-inventoried streams which exceed the 20% gradient criteria are classified as non-fish bearing streams. Non-fish bearing stream reaches that are deemed to be especially important may be managed as fish bearing. K'Alii Aks is unaware of any stream classification information for Nisga'a forested lands.

Fisheries values are field assessed at the stand level during the preparation of Site Plans. Stream gradients, widths, and fish habitat suitability are confirmed on the ground at this time. When timber harvesting, road construction or bridge building are scheduled next to a known fish habitat, K'Alii Aks will use guidance from the *Standards and Best Practices for Instream Works* (2004) in making prescriptions.

When in-stream work is required outside the established timing windows, K'Alii Aks will request a variance authorization from the MoECC, and consult with DFO to ensure the appropriate protective measures are taken to mitigate potential impacts to fish and fish habitat.

3.4. Riparian Management

The Nisga'a Nation has set the protection of riparian areas and marine/coastal habitat as a top priority. Riparian management areas provide for the protection and management of fisheries, riparian wildlife habitats, and water quality. The objective is to maintain and/or restore the function of riparian systems. Riparian management areas are stream banks, wetlands, and the natural boundaries of a lake.

The *Nisga'a Forest Act*, Part 5, Division 2, provides details of riparian management requirements along streams and rivers, and around wetlands and lakes. Streamside tree retention is to be encouraged, particularly mature hardwoods to maintain streambank stability and stream temperature control, and to provide a source of wildlife trees and future large woody debris.

Forest Practices to Conserve and Manage

Timber harvesting within a riparian management area will adhere to the criteria established within the *Nisga'a Forest Act section* 28 *General Requirements within Riparian Management Areas*. The degree of retention within any specific riparian management area will be dependent on the

riparian classification, the values present, and an assessment of windthrow hazard and consequences – risk.

Site-specific prescriptions will be developed to meet fish and riparian area stand level objectives. K'Alii Aks forest practices in a riparian management area will be designed to minimize impacts on stream channel dynamics, aquatic ecosystems, water quality, and the diversity, productivity and sustainability of wildlife habitat and vegetation within the riparian management area, and will to minimize the risk of windthrow on trees retained adjacent to the stream wetland or lake.

3.5 Wildlife

The Nisga'a Nation places a high priority on the maintenance and improvement of wildlife populations on Nisga'a Lands and within the Nass Wildlife Management area.

Forest Practices to Conserve and Manage

Subject to the *Nisga'a Final Agreement*, NLG and the MoECC is each responsible and play a role in the management of wildlife. K'Alii Aks will consult with NLG and MoECC when developing harvest plans in the *Land Use Plan* Wildlife Habitat Zones. Where necessary, timber harvesting plans in the Wildlife Habitat Zone will be supported by a wildlife habitat assessment and must not degrade the wildlife habitat for the designated species. Moose, grizzly bear and mountain goat have been identified as designated species.

The *Land Use Plan* created Ecologically Sensitive Areas to protect ecologically sensitive, rare or vulnerable habitat. Proposed timber harvest in Ecologically Sensitive Areas will be supported by an ecological assessment and must not degrade the natural environment. No forestry activities will be permitted in areas designated as critical ecologically sensitive areas.

In addition to the above designated species, the FDP identifies the following potentially present wildlife species for further forest management consideration: furbearers (fisher, marten, fox, lynx, weasel, etc.), coastal tailed frog, great blue heron, marbled murrelet, keen's long eared myotis, northern goshawk, and wolverine.

K'Alii Aks will refer to the MoECC Accounts and Measures for Managing Identified Wildlife Report (2006) for forest practices guidance, and the Species at Risk Act (SARA) legislation and species lists, BC Government Action Regulations (GAR) Orders, and BC Government Wildlife Measures (GWM) for further wildlife and forest management guidance and direction. Under SARA, species of Special Concern are to be managed to prevent the species from becoming endangered or threatened, and Threatened Species are to have a Recovery Management Plan prepared by the government authority.

K'Alii Aks Forest Development Plan objectives are centered on habitat maintenance strategies to sustain viable populations of all native wildlife species within their natural ranges. Achievement of these objectives is linked to the implementation of biodiversity and riparian management strategies. For example, the establishment of riparian management areas, old growth reserves, and group and

single tree retention will provide critical components of wildlife habitat, such as wildlife trees, vertical structure, snags, coarse woody debris sources, a variety of forest edge types, and migration and dispersal corridors. Proposed forest practices must not restrict access to hunting and trapping areas.

3.5.1 Moose

Moose is a designated species. Important moose habitat is known to occur throughout Nisga'a Lands. Moose are well adapted to the early successional stages of forests, foraging extensively on deciduous trees and shrubs that colonize sites following disturbance. However, moose are also dependent on the cover provided by mature coniferous forests to provide security cover, thermal cover, and access to forage during the winter. Quality moose habitat includes a variety of different interspersed seral stages.

Forest Practices to Conserve and Manage

Forest management strategies will focus on the maintenance of security and thermal cover for moose. Forest practices in the Nass Bottomlands and specifically where moose winter range can be identified will prescribe wildlife tree patches or reserves to ensure sufficient security and thermal cover for moose. Additional forest practices may include limiting the log haul to the period May to November and prescribing that roads and structures within 500 meters of moose winter range will be constructed in a manner that will facilitate effective deactivation (no vehicle access) following completion of activities.

Forage production for moose will be encouraged through silvicultural treatments such as manual brushing and managing for a component of deciduous tree species in regenerated stands.

3.5.2 Mountain Goat

Mountain goat is a designated species. The snow shedding properties of steep bedrock slopes with sharp ledges and overhangs, and particularly the southern exposures, are favored habitat areas for mountain goats to evade predators. Vertical ravines and canyons may serve as traditional seasonal movement areas as well.

As summer progresses, mountain goats will move upslope to alpine meadow habitats to feed on shrubs, grasses, sedges, and forbs. Mountain goat populations tend to compress as winter approaches, retreating to lower elevations below timber line to escape heavy snows and cold temperatures. Winter foraging will occur in very close proximity to steep escape terrain, including areas of old growth forests where browse such as coniferous trees, lichens, forbs, and mosses may be available.

Spring birthing and nursing occurs in May or June and is typically associated with extreme terrain. Over wintering and early spring birthing habitats are the most critical to Mountain Goat populations and may be a concern for forest management.

Forest Practices to Conserve and Manage

In areas that are identified as critical mountain goat habitat, forest management strategies will be directed by the measures prescribed in the *Kalum Ungulate Winter Range Order #U-6-001* (2012). There will be no logging within mountain goat winter range (except individual trees for safety reasons). Logging within 500 meters (2000 meters for helicopter logging) of mountain goat winter range will take place between June 15th and October 31st. Roads and structures within 500 meters of mountain goat winter range will be constructed in a manner that will facilitate effective deactivation (no vehicle access) following completion of activities.

3.5.3 Grizzly Bear

The grizzly bear is a designated species and is a species of Special Concern under *SARA*. Grizzly bears depend on diverse habitats. Valley-bottom salmon streams and riparian area forests provide important forage species such as devil's club, red elderberry, currants, and skunk cabbage. Avalanche tracks, subalpine and alpine meadows are also important upland habitats. Suitable grizzly bear habitat may be found across all of Nisga'a Lands.

Forest Practices to Conserve and Manage

Forest management strategies for grizzly bears prescribe connectivity of habitats, the maintenance and growth of forage species over time, and access management. K'Alii Aks will plan the harvest of highly productive valley-bottom sites to include a diversity of structure such as clusters of mature conifers with frequent groupings of deciduous trees and brushy areas in conjunction with the preservation of riparian reserves and wetland ecosystems.

Silvicultural treatments will prescribe clusters of trees through variable density planting and variable spacing densities. K'Alii Aks will investigate new habitat management strategies for grizzly bears and where prescribed propose additional stand level measures to support grizzly bear populations.

3.5.4 Fisher, Marten and Other Furbearers

For fisher, marten and other furbearers, the predominant impacts of clearcut logging are the reduction of forest interior conditions leading to reduced connectivity of suitable habitat. The maintenance of connective corridors, specifically along riparian areas, within wetland forest types and to upland habitats is extremely important for maintaining habitat opportunities. The *Nisga'a Forest Act* requires the maintenance of riparian management areas along streams, lakes and wetlands.

Fisher is a species of Special Concern under *SARA*. Critical habitats for fisher are generally associated with suitable resting and maternal denning sites. Large coarse woody debris is important for both winter rest sites and as habitat for prey species. Maternal den sites are predominantly located in large, declining cottonwood.

Fisher, marten and other furbearers may avoid large openings (25 ha +) because of the lack of cover and susceptibility to being preyed upon, therefore the maintenance of corridors or screening patches will reduce sighting distances and link unharvested forest stands.

Forest Practices to Conserve and Manage

When planning timber harvesting in known fisher and marten habitat, K'Alii Aks will prescribe wildlife tree retention patches that include large veterans and deciduous species to maintain important opportunities for denning and cover habitat and to provide sources of coarse woody debris for resting and foraging sites, and may prescribe leaving slash piles unburned.

3.5.5 Coastal Tailed Frog

The tailed frog is the only known stream breeding frog in Canada. For coastal British Columbia, the tailed frog distribution coincides with the coastal western hemlock biogeoclimatic zone. The known northern limits of its distribution are found in the Coast Mountains Forest District just outside of Nisga'a Land so the potential exists for the tailed frog to occur on Nisga'a Lands, specifically where coarse-grained bedrock geology is present. The coastal tailed frog is a species of Special Concern under *SARA*.

Research from the Center of Applied Conservation Biology at the University of British Columbia indicates that the coastal tailed frog primarily inhabits headwater gullies of cool and permanent mountain streams. Creek width and low fine sediment levels appear to influence tailed frog populations.

Forest Practices to Conserve and Manage

Management objectives are the maintenance of stream sediment levels and transport regimes, and the conservation of forested buffers along streams. Strategies such as riparian reserves, fell and yard away techniques and machine free zones in riparian management areas, and ditch sediment traps on roadways may be employed.

3.5.6 Great Blue Heron, Marbled Murrelet, Keen's Long-eared Myotis and Northern Goshawk

Great blue herons are likely present in low numbers on the coastal and estuary portions of Nisga'a Lands. It is a species of Special Concern under *SARA*. Great blue herons require abundant and accessible prey within 10 km of a breeding location. If any heron colonies are identified, NLG and MoECC will be notified and a management strategy developed.

Marbled murrelet is likely present in low numbers on the coastal portions of Nisga'a Lands. It is a Threatened species under *SARA*. If any marbled murrelet is identified, NLG and MoECC will be notified and site and area specific reserves and/or alternative silviculture systems may be prescribed.

Keens long-eared myotis is a bat species with a limited and sparse distribution, and it is not known to occur on Nisga'a Lands. It is a species of Special Concern under *SARA*. If it is identified, NLG and MoECC will be notified and a site-specific strategy developed for the immediate vicinity and around associated habitat features.

The northern goshawk is widely distributed throughout the Skeena Region and the interior subspecies is likely present within Nisga'a Lands. It is a species of Special Concern under *SARA*. If any northern goshawk nests are identified within proposed developments, NLG and MoECC will be notified and a biologist will be consulted to guide a site specific prescription which may include timing restrictions, to a system of reserves and/or alternative silviculture systems (e.g. shelterwood) in the immediate vicinity of the identified nests.

3.5.7 Wolverine

Wolverines are widely distributed at low densities throughout British Columbia. It is a species of Special Concern under *SARA*. Wolverines utilize a variety of food items and habitat types throughout the year and may require a variety of habitat types over their large home range.

Forest Practices to Conserve and Manage

Because wolverines are not habitat specialists and have extensive home ranges, management will be focused on general wildlife measures such as wildlife tree patches, dispersal corridors and riparian management. If specific features such as den sites are located, they will be considered for inclusion in wildlife tree patches.

3.6 Botanical Forest Products

The *Nisga'a Forest Act* defines botanical forest products as pine mushrooms, and any plant or fungus that occurs naturally on Nisga'a Lands and is a prescribed botanical forest product. The *Land Use Plan* lists ten different mushroom species as well as fiddleheads as prescribed botanical forest products (pine mushroom, black morel, oyster mushroom, king boletus, blue chanterelle, funnel chanterelle, lobster mushroom, chicken of the woods, hedgehog mushroom, cauliflower mushroom). Other potential botanical forest products may include edible berries, floral products, bark, and medicinal plants.

Throughout the year, many people can be found in various locations within Nisga'a Lands collecting and harvesting botanical forest products.

Forest Practices to Conserve and Manage

To help manage botanical forest products, the *Land Use Plan* established the Botanical Forest Products zone. Within this zone, forest management will include consideration of the cumulative effects on the appropriate habitat for botanical forest products across all of Nisga'a Lands, and an assessment of botanical forest products habitat. Access to botanical forest product harvesting areas will not be unduly restricted by forest management practices.

A portion of the Botanical Forest Products zone consists of the Pine Mushroom polygon. The Pine Mushroom polygon was established for the protection of the commercially viable pine mushroom (*Tricholoma magnivelare*) grounds. Within the pine mushroom polygon and on pine mushroom habitat: (i) timber harvesting, including that associated with roads, will retain a minimum of 80% of the forest cover at an age of at least 120 years; and (ii) the silviculture system, other than for areas

to be occupied by roads, will be a selection system and provide for retention of up-to 70% of the total basal area of the cutblock.

The protection or management of habitat suitable for other botanical forest products or areas that are suitable pine mushroom ground outside the Pine Mushroom polygon will be dealt with on a site-specific basis.

3.7 Biological Diversity

The long-term objective of the Nisga'a Nation is to maintain and/or restore biodiversity across Nisga'a Lands. Biodiversity will be managed at the landscape and stand levels. Prior to harvesting areas identified as being Ecologically Sensitive in the *Land Use Plan*, the area will be assessed on its ecological values to ensure those ecological values are being adequately conserved. Alternatively, an overall assessment of ecological values within the areas identified as ecologically sensitive in the *Land Use Plan* may be developed during the term of this Forest Development Plan.

In the context of forest management on Nisga'a Lands, biodiversity (biological diversity) is regarded as the diversity of plants, animals and other living organisms in all their forms and levels of organization, and includes the diversity of genes, species and ecosystems, as well as the evolutionary and functional processes linking them.

Forest Practices to Conserve and Manage

Biodiversity conservation strategies in managed forests are based on evolving ecosystem management concepts that assume the needs of most organisms will be met by maintaining a range of habitats across a broad geographic distribution. Because all species cannot practically be managed on all areas individually, biodiversity must be managed at a variety of scales and across a variety of landscapes. Strategies for individual species may be specifically designed as required.

Cutblock design, including size, shape, and pattern, can be used to create a range of disturbance types and sizes, and can be enhanced by including even and uneven aged forest stand management. Small scale disturbances will be mimicked through dispersed patch cutting or uneven aged management and clearcutting with Wildlife Tree Patch retention. Some larger patches will be cut and aggregated to form larger openings, particularly at lower elevations and on drier aspects where fire disturbance was a historic influence.

Cutblock location across the landscape and across time will attempt to reflect natural disturbance patterns, subject to the limitations caused by previous timber harvesting. Landforms, features and site sensitivity to development will also be considered in cutblock design.

Until an analysis of patch size distribution is completed, openings that are greater than 60 ha of non-greened up area require a variance authorization from the Director of Lands and Resources (*Nisga'a Forest Act*, part 4, section 24).

Connectivity at the landscape level is to be managed through riparian and upland corridors, i.e., extended rotations and use of non-clearcut silvicultural systems and corridor replacement via aggregation of harvest units. These management practices are meant to ensure that landscape level stand structures will reflect natural disturbance patterns across Nisga'a Lands.

At the stand level, an average of 10% of the area of individual cutblocks will be retained as wildlife tree patches. Patches of advanced regeneration, and non-merchantable trees retained as recruitment snags will further increase the diversity of stand structure at the cutblock level. Tree and vegetation species composition will be maintained by retaining a variety of native understory plants and plant communities, particularly within wildlife tree patches or riparian management areas. Where practicable, minor tree species that form less than 20% of the trees present on a cutblock may be retained as individual trees or reserved within wildlife tree patches. If these minor tree species are harvested, Site Plans will prescribe that reforestation treatments will be planned to maintain these species through planting or natural regeneration.

When carrying out forest practices, if K'Alii Aks finds a protected resource feature (such as a raptor nest or identified wildlife) that was not identified on an approved operational plan or permit, K'Alii Aks will modify or stop any forest practice within the vicinity of the resource feature and promptly advise the Director of Lands and Resources of the nature and location of the feature.

A high percentage of the forest on Nisga'a Lands contains significant volumes of non-merchantable timber, that, subject to log markets, is often left on the cutblock. This residual and waste timber will serve a biodiversity function and may be left on the cutblock as coarse woody debris for small mammal habitat and cover. Where timber quality is such that insufficient coarse woody debris will remain post-harvest, the Site Plan may require the processing (limbing and topping) of harvested trees in the cutblock.

3.8 Soils and Terrain Stability

The *Nisga'a Forest Act* outlines requirements for management of the soil resource. K'Alii Aks will comply with those requirements and prescribe forest practices that minimize soil resource impacts.

Forest Practices to Conserve and Manage

Longer-term timber harvest planning is used to develop road access management plans which seek to minimize road construction and in turn soil disturbance. Stand level soil disturbance objectives are set in Site Plans and soil disturbance rehabilitation measures will be prescribed where necessary. Harvesting systems and seasonal restrictions will be prescribed to limit soil disturbance to acceptable levels.

K'Alii Aks may conduct Terrain Stability Overview Mapping to provide a landscape assessment of terrain stability. In the absence of overview mapping, K'Alii Aks will complete a Terrain Stability Assessment of all proposed cutblocks and roads where side slopes are greater than 60%, and where there are aerial photo, lidar or field indicators or related reports of terrain instability.

3.9 Timber Salvage

Where timber is recently damaged due to windthrow, insects, disease or fire, and the timber is merchantable, economic and safe to salvage, K'Alii Aks will propose timber salvage operations.

Forest Practices to Conserve and Manage

Timber damage resulting in timber salvage may be caused by the activities proposed in this plan or an event of nature. K'Alii Aks will plan and prescribe forest practices to minimize timber damage and the subsequent need for timber salvage. K'Alii Aks will where possible inspect areas through its normal course of activities or after major wind and rain events to identify damaged timber and possible timber salvage. When timber damage has been identified, it will be reported to NLG. If the damaged timber is deemed salvageable, K'Alii Aks will develop a timber salvage prescription for approval by NLG.

3.10 Cultural Heritage Resources and Archaeology

A "Cultural Heritage Resource" is an object, site, or location of a traditional social practice of historical, cultural or archaeological significance to the Nisga'a Nation or the province.

Cultural Heritage Resources are identified through historical maps, archaeological impact assessments (AIA's) and public comment, and will be addressed in accordance with the *Heritage Conservation Act*. AIA's are required under the *Heritage Conservation Act* to manage and conserve archaeological resources, including areas affected by forest development proposals.

An Archaeological Overview Assessment has been completed for the Coast Mountains Forest District (including portions of Nisga'a Lands) that provides guidance in determining where AlA's will be required.

The *Land Use Plan* established a Heritage Preservation Zone to protect heritage sites and features identified in the *Land Use Plan*.

The Land Use Plan established a Cultural Forest Products zone whose primary objective is the production of forest resources important to the Nisga'a people. The zone must be managed in such a way as to ensure that the cultural forest resources continue to be available. Cultural forest resources include botanical forest products, medicinal products such as devil's club, food resources such as berries, and specific tree species such as cedar.

Forest practices must address the cultural forest resources that have been identified as important to the Nisga'a Nation. Timber harvesting prescriptions must consider the cumulative effects on identified cultural forest products across all of Nisga'a Lands.

Forest Practices to Conserve and Manage

AlA's will be completed by a professional archaeologist on proposed cutblocks that show or have a high likelihood of containing archaeological resources unless NLG directs otherwise. Once

completed K'Alii Aks will propose an appropriate prescription. Proposed timber harvesting must not restrict access to cultural forest product areas. In the Cultural Forest Products zone K'Alii Aks will prescribe the growing of cedar on sites suitable for cedar.

The hot springs at HIgu Isqwit (Little Stink Hot Spring) and Ksgyukwsa'a (Burton Creek Hot Spring) have been identified as Cultural Heritage Resources, mapped, and no harvesting will be planned near them. K'Alii Aks will conserve these cultural heritage features as recreation sites and manage the hot springs view to meet a partial retention visual quality objective. K'Alii Aks will manage any cutblocks in the vicinity of the hot springs to minimize the risk of diverting or affecting ground water.

K'Alii Aks will solicit cultural heritage and archeological comments and concerns through community consultations, and meetings with elders and community representatives. Public comment and concerns will be recorded, and the actions to address the comments or concerns documented, and a summary forwarded to the Director.

3.11 Recreation

Recreation values within Nisga'a Lands are associated with the adjacent Anhluut'ukwsim Laxmihl Angwinga'asanskwhl (Nisga'a Memorial Lava Bed Park), the Nass River and some major tributaries, the coastal marine environment at the mouth of the Nass, and the designated recreation sites at Dragon Lake, Hlgu Isgwit (Little Stink Hot Springs), and the Ishkheenickh River (Quilgauw). For the purposes of forest management planning, the Kwinamuck Lake site will also be considered a recreation site.

Cultural resource features also contribute to recreational and tourism-based activities. Hlgu Isgwit (Little Stink Hot Springs) and Ksgyukwsa'a (Burton Creek Hot Springs) are cultural resource features, have very high recreational values and will also be treated as recreational sites for the purpose of forest management.

Forest Practices to Conserve and Manage

K'Alii Aks supports potential outdoor recreation and tourism based economic development at the recreational sites and will work to ensure that where possible recreational values are accommodated in its plans.

K'Alii Aks will employ visual quality management for recreational and cultural resource features where required by the *Land Use Plan*, as well as for select viewscapes visible from communities and the Nisga'a Highway.

There is an NLG - BC government Master Management Agreement for Anhluut'ukwsim Laxmihl Angwinga'asanskwhl (Nisga'a Memorial Lava Bed Park). K'Alii Aks will respect the agreement and conduct a visual impact assessment on cutblocks within 1 kilometer of Anhluut'ukwsim Laxmihl Angwinga'asanskwhl (Nisga'a Memorial Lava Bed Park) or within the Tseax visual polygon to ensure that timber harvesting will not result in more than 10% of the visual area having vegetation of a height less than 5 meters.

3.11.1 Designated Recreation Sites

Dragon Lake Recreational Site

The Dragon Lake recreational site is located on the west side of Dragon Lake. It is a day-use and over-night camping site with a small dock and a boat launch area and is well used by both local users and tourists from May to September.

Forest Practices to Conserve and Manage

K'Alii Aks will prepare visual impact assessments for various visual quality objectives and review them with local day-use and over-night tourist visitors to assist in designing the FDP cutblocks above Dragon Lake.

Hot springs

Little Stink (HIgu Isgwit) Hot Springs

Hlgu Isgwit Hot Springs is located about 500 meters east of Ksi Ansit'aagan (Ansedagen Creek) on the southside of the Nisga'a highway. The very close highway access allows significant numbers of local users and tourists to visit this site.

Forest Practices to Conserve and Manage

For any cutblocks in the vicinity of the hot springs, K'Alii Aks will prescribe forest practices that minimize the risk of diverting or affecting ground water. K'Alii Aks will prepare visual impact assessments and ensure visual quality objectives for recreation sites are achieved.

Burton Creek (Ksgyukwsa'a) Hot Springs

Ksgyukwsa'a Hot Springs is located about 500 meters above the mouth of Burton Creek on the southside of the Nass river across from the village of Gingolx. Access is by boat.

Forest Practices to Conserve and Manage

No harvesting is planned in the vicinity of the hot springs. K'Alii Aks will prescribe forest practices that minimize the risk of diverting or affecting ground water and will prepare visual impact assessments and ensure visual quality objectives for recreation sites are achieved.

Ishkheenickh River (Quilgaux) Recreational Site

The Ishkheenickh River recreational site is located on the Ishkheenickh River at approximately 16 kilometers along the Ishkheenickh mainline road. It is a day-use and overnight camping site used primarily for sport angling. Both local users and tourists enjoy the use of the recreational site.

Forest Practices to Conserve and Manage

Should proposed timber harvesting impact visual quality objectives at Ishkheenickh, K'Alii Aks will prepare visual impact assessments and ensure visual quality objectives for recreation sites are achieved.

4.0 Forest Development Plan Time Schedule for Referral and Public Consultation

- Due to COVID 19, K'Alii Aks Timber Corporation will not be holding any public meetings.
- For K'Alii Aks 2020 2025 Forest Development Plan comments, concerns, and questions please contact:

Sam CogginsSam.coggins@npvlp.caGeorge Adamsgeorge.adams@npvlp.ca

• K'Alii Aks Timber Corporation will summarize public comments, concerns and questions, and its response and any action taken.

The Forest Development Plan text and 1:50,000 maps can be viewed at:

| Submission of FDP | Location | Distribution Date | Consultation Date |
|-------------------------------|---|----------------------|----------------------|
| K'Alii Aks Timber Corporation | K'Alii Aks Office, 4714 Tait Ave, New Aiyansh (northeast door) | Nov 3, 2020 | |
| Nisga'a Lisims Government | NLG Administration Building Upstairs | Nov 3, 2020 | |
| Gitl <u>a</u> xt'aamiks | Gitlaxt'aamiks Village Government Offices | Nov 3, 2020 | |
| Gingolx | Gingolx Village Government Offices | Nov 3, 2020 | |
| La <u>xg</u> alts'ap | La <u>xg</u> alts'ap Village Government Offices | Nov 3, 2020 | |
| Gitwinksihlkw | Gitwinksihlkw Village Government Offices | Nov 3, 2020 | |
| Terrace | Terrace Nisga'a Urban Local Office | Nov 3, 2020 | |
| Prince Rupert | Gitma <u>x</u> mak'ay Nis <u>g</u> a'a, 301- 860 3rd Avenue | Nov 3, 2020 | |
| Vancouver | Nisga'a Ts'amiks, 2475 Franklin Street | Nov 3, 2020 | |

5.0 Appendices

Appendix A Forest Development Plan Proposed Cutblocks

Appendix B Forest Development Plan Proposed Roads

Appendix C Kwinmuck Operating Area

Appendix D Monkley Bay Operating Area

Appendix E Burton Operating Area

Appendix F (1) 1:20,000 Forest Cover Maps

Appendix F (2) 1:20,000 Known Resource Values Maps

Appendix G 1:50,000 FDP Overview Maps (North and South)

APPENDIX A - Block Table KATC FDP 2021-2025

| APPENDIX A | - DIOCK | Table | | KATC | FDP | 2021-2025 | | | | | | | | | | | | |
|------------------|---------|----------------|-----------|-------------------|--------------------|------------------------|---------------------------|--------------------------|-----------------|-------------------------|--------|---------------|----------------------|-----------------------|--------------|--------------------|-------------------|-------------------|
| Block ID | Status | Operating Area | Map Sheet | Harvest Method | Gross Area (ha) | Silviculture System | Species Composition by | Est.Total Volume (m3) | Pulp Content | Logging Season (W or | BEC | Elevation (m) | Land Use Plan Layers | | | | | |
| | | | | | | , | Leading Species | | (H/M/L) | S) | | | Ecological | Wildlife | Agricultural | Botanical (BFP) | Cultural (CFP) | Comment |
| | | | | | | | | | | | | | | | | (BIT) | (CIT) | |
| Year 1 ANU606 | A | West Nass | 103P.013 | C/GBS | 320.7 20.9 | CC | HwSx(Ba) | 131,322 10,955 | L | S | CWHws1 | 85 | | | | | | |
| DLK506 | P | Nass Valley | 103P.035 | GBS | 30.1 | CC | PIHw(Ac) | 10,665 | L | W | ICHmc2 | 171 | | 1100 | | | | |
| DLK708 | A | Nass Valley | 103P.025 | GBS | 32.6 | СС | AtHw(Sx) | 11,128 | M | w | ICHmc2 | 127 | | yes (moose) yes | yes | | yes | V. high sockeye & |
| | | | | | | | | | | | | | | yes | yes | | yes | grizzly |
| KSD514 | А | Ksedin | 103P.004 | C/GBS | 27.9 | CC | HwBa | 12,162 | М | S | CWHws2 | 715 | | | | | | |
| KSD515 | Α | Ksedin | 103P.004 | C/GBS | 29.2 | СС | HwBa | 16,760 | М | S | MHmm2 | 821 | | yes | | | | |
| KSD525 | Α | Ksedin | 103P.004 | C/GBS | 18.4 | СС | HwBaBl | 8,494 | М | S | MHmm2 | 753 | | | | | | |
| KSD611 | Р | Ksedin | 103P.004 | GBS/C | 86.5 | СС | HwBa(SxAc) | 38,118 | L | S | CWHws1 | 349 | | | | | | |
| KWT001 | Α | Kwinamuck | 103P.056 | GBS | 24.6 | CC | HwPISx(Ba) | 7,435 | L | W | CWHws2 | 198 | | yes | yes | | | |
| KWT003 | Р | Kwinamuck | 103P.046 | GBS | 50.5 | CC | HwPl | 15,605 | L | W | CWHws2 | 180 | | yes | yes | | | |
| | | | | | | | | | | | | | | | | | | |
| Year 2 DLK201 | P | Tseax | 103P.036 | GBS/C | 333.5 60.2 | CC | HwBa | 142,848 23,280 | L | S | MHmm2 | 1052 | | yes | | | | |
| DLK204 | А | Tseax | 103P.036 | GBS/C | 43.3 | CC | HwBI(Sx) | 18,992 | L | S | MHmm2 | 914 | | | | | yes | |
| | P | | | | | | | | | W | | | | voc | | | | |
| DLK509 | | Nass Valley | 103P.036 | GBS | 25.7 | СС | Hw(BaSx) | 11,148 | Н | | ICHmc2 | 394 | | yes | | | yes | |
| VET307 | Р | Tseax | 103P.015 | C/GBS | 28.0 | CC | HwCwSx | 12,770 | L | S | ICHmc2 | 473 | | yes | | | yes | |
| ANU701 | Р | West Nass | 103P.013 | C/GBS | 30.7 | CC | HwBaSx | 18,052 | L | S | CWHws1 | 337 | | | | | | |
| KWT004 | Р | Kwinamuck | 103P.045 | C/GBS | 86.4 | CC | HwPlBa | 26,484 | Н | W | CWHws2 | 232 | | | yes | yes | | |
| CAN001 | Р | Kwinamuck | 103P.025 | C/GBS | 33.6 | CC | HwBl(Ba) | 17,131 | М | S | CWHws2 | 304 | | yes | | | | |
| NAS203 | P | West Nass | 103P.003 | C/GBS | 25.6 | СС | HwSx(Ba) | 14,991 | М | S | CWHws1 | 309 | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Year 3 ANU702 | P | West Nass | 103P.013 | C/GBS | 305.8 43.2 | CC | HwBaSx | 140,981 24,534 | L | S | CWHws1 | 337 | | | | | | |
| CAN002 | P | Kwinamuck | 103P.024 | C/GBS | 39.4 | CC | HwBlBa | 21,134 | М | S | CWHws2 | 521 | | yes | | | | |
| DLK206 | A | Tseax | 103P.036 | GBS/C | 44.2 | CC | HwBI(Sx) | 20,849 | L | S | MHmm2 | 888 | | , | | | yes | |
| | | | 103P.003 | GBS | 15.0 | СС | | | Н | w | CWHws1 | | | | | | 700 | |
| DSK101 | А | West Nass | | | | | HwBa(Sx) | 6,462 | | | | 35 | | yes | yes | | | |
| DSK103 | Р | West Nass | 103P.003 | C/GBS | 53.5 | CC | HwBa(Sx) | 33,977 | Н | W | CWHws1 | 35 | | yes | yes | | | |
| DSK104 | Α | West Nass | 103P.003 | GBS/C | 11.6 | СС | HwBa(Sx) | 5,301 | Н | W | CWHws1 | 35 | | yes | yes | | | |
| KWT005 | Р | Kwinamuck | 103P.045 | GBS | 67.3 | CC | HwPlBa | 18,839 | Н | W | CWHws2 | 181 | | | yes | yes | | |
| VET309 | Р | Tseax | 103P.015 | GBS/C | 31.6 | СС | HwSx(AcCw) | 9,885 | L | w | ICHmc2 | 240 | | yes | | | yes | |
| V 4 | | | | | 270.6 | | | 140 477 | | | | | | | | | | |
| Year 4 ANU751 | P | West Nass | 103P.013 | C/GBS | 279.6 49.9 | CC | HwBa(Sx) | 140,177 31,635 | L | S | CWHws1 | 480 | | | | | | |
| DLK007 | P | Nass Valley | 103P.035 | GBS | 44.8 | СС | PIHw(Sx) | 18,914 | L | S | ICHmc2 | 155 | | yes | yes | | | |
| DLK510 | P | Nass Valley | 103P.035 | GBS | 14.4 | СС | HwPl(BaSx) | 5,921 | L | W | ICHmc2 | 153 | | yes | yes | | | |
| DLK900 | | Tseax | 103P.025 | C/GBS | 25.8 | CC | PIHw(Sx) | 9,899 | М | S | ICHmc2 | 132 | | | | | yes | |
| ISH501 | A | Ishkheenickh | 1031.093 | C/GBS | 16.7 | CC | HwSxBa | 7,011 | Н | S | CWHws1 | 99 | | yes | | | | |
| ISH510 | A | Ishkheenickh | 1031.093 | C/GBS | 54.0 | СС | HwBa(Sx) | 29,074 | М | S | CWHws1 | 502 | | yes | | | | |
| ISH511 | P | Ishkheenickh | 1031.093 | C/GBS | 35.2 | СС | HwBa | 15,449 | М | S | CWHws1 | 400 | | yes | | | | |
| | | | | | | | | | | | | | | yes | | | | |
| ISH602 | Р | Ishkheenickh | 1031.093 | C/GBS | 38.8 | СС | HwBa(Sx) | 22,274 | М | S | CWHws1 | 290 | | | | | | |
| Year 5 | | | | | 301.1 | | | 140,084 | | | | | | | | | | |
| NAS150 | Р | West Nass | 103P.002 | C/GBS | 61.6 | СС | HwBaS(x) | 36,273 | Н | S | CWHws1 | 300 | | yes | | | yes | |
| DLK106 | Р | Tseax | 103P.026 | C/GBS | 53.1 | СС | Hw(BI) | 23,810 | L | S | MHmm2 | 839 | | yes | | | yes | |
| DLK170 | A | Tseax | 103P.026 | C/GBS | 18.9 | СС | HwSx(Ba) | 9,300 | М | S | ICHmc2 | 420 | | | | | | |
| DLK180 | A | Tseax | 103P.026 | C/GBS | 19.5 | CC | HwSxBa | 8,424 | М | S | CWHws2 | 617 | | | | | | |
| DLK508 | А | Nass Valley | 103P.036 | GBS | 54.0 | CC | HwSx(PI) | 21,013 | М | S | ICHmc2 | 390 | | yes | | | | |
| KSD700 | P | Ksedin | 103P.003 | C/GBS | 26.5 | CC | HwBa(Sx) | 12,239 | Н | S | CWHws1 | 362 | | | | | | |
| KSD701 | P | Ksedin | 103P.003 | C/GBS | 67.5 | CC | HwBa(Sx) | 29,025 | Н | S | MHmm2 | 593 | | | | | | |
| | | Nacum | 1031 .003 | C/ 003 | 57.5 | | | 23,023 | | J | | 353 | | | | | | |

| | APPENDIX B - ROAD TABLE | | KATC | FDP | 2020 - 2025 | | | | | | | |
|--|-------------------------|-----------------|-------------|---------|---------------|---------------|--------|----------|-------------------|------|---------------------|------------|
| Mary | Block ID | Operating | Manchaat | Road ID | | Work Required | Longth | 1 | Major Stuctures | | Deactivation | Provincial |
| March Marc | BIOCK ID | Area | iviapsileet | M/B/S | Activity | Status | | Year | iviajor stuctures | Year | Level | _ |
| MASS | Year 1 | | | | | | | | | | | |
| MASSY MASSY MASSY MASSY MASSY MASSY P | ANU606 | WEST NASS | 103P.013 | | _ | | | | | | - | |
| Color Colo | DIKEOC | NACC VALLEY | 1020.026 | | | | | | | | | |
| Second S | | | | | | | | | | | · | |
| March Marc | DLK700 | NASS VALLET | 1031 .023 | | | | | | | | · | |
| Section Process | KSD514 | KSEDIN | 103P.004 | | | | | | | | | |
| Section Common Section Secti | | | | _ | M | SP | 7.6 | 2021 | | 2022 | S | |
| Sour | KSD515 | KSEDIN | 103P.004 | Br | M | SP | 2.2 | 2021 | | 2022 | S | |
| Symbol Cymbol Cymbol Symbol Cymbol C | KSD525 | KSEDIN | 103P.004 | | | | | 1 | | - | - | |
| Specific Specific | | | | | | | | 1 | | - | - | |
| WYFELD W | KSD611 | KSEDIN | 103P.004 | | | | | | | - | - | |
| March Marc | KW/TOO1 | KWINAMIICK | 1020 056 | | | | | - | | - | - | |
| No. No. | KWIOOI | KWINAMOCK | 1031.030 | | | · | | - | | 2021 | r | YES |
| March Marc | KWT003 | KWINAMUCK | 103P.046 | | | | | - | | 2022 | Р | . 20 |
| Vision V | | | | | M | S | | 2021 | | 2022 | S | |
| Property Teach | | | | ML | M | Р | 7.2 | 2021 | | | | YES |
| Sept | | | | 1 | | | 1 | | | | | |
| DIASPA | DLK201 | TSEAX | 103P.036 | · · | | | | | | | · | |
| MASSYMALEY 108P-085 Sper | DLV201 | TOTAL | 1020.023 | | | | | | | | | |
| Sour | | | | | | | | | | | · | |
| Very Name | DLKSU9 | IVASS VALLEY | 1037.036 | | | · · | | | | | · | |
| MAUTOL WEST NASS 103P D13 Spur C | VET307 | TSEAX | 103P.015 | | | | | | | 1 | · | |
| MAINTOIL WEST NASS 1038-013 Spuir C | 121307 | . 52, 00 | | | | | | | | 1 | · | |
| MANUFOLD WIST MASS 1038-013 Spur C | | | | - | | | | 1 | | | - | |
| CANOOL KWINAMULK 103P-024 MIL M | ANU701 | WEST NASS | 103P.013 | Spur | С | | | 2022 | | | Р | |
| Miliar M | KWT004 | KWINAMUCK | 103P.045 | | | | | | | | - | |
| MASCON MASTINAS 103P 103 | | | | | | | | | | 2023 | Р | |
| NASO WEST NASS 103P 003 | | | | | | | | | _ | | / | YES |
| Spur M S 1.6 2022 2023 S | | | | | | | | - | Br | 1 | | |
| No. No. | NAS203 | WEST NASS | 103P.003 | | | · · | | | | 1 | | |
| ANJ 702 WEST NASS 103 P.013 Spur C | Vear 3 | | | Spui | IVI | 3 | 1.0 | 2022 | | 2023 | 3 | |
| CAMONIC CAMO | | WEST NASS | 103P.013 | Spur | С | Т | 3.6 | 2023 | | 2024 | Р | |
| DIASO TSEAX 1039-036 Spur C | | | | | | | | 1 | | 1 | S | |
| DSK101 | | | | | M | T | 0.9 | 2023 | | 2024 | Т | |
| DSK103 WEST NASS 103P003 Spur C | DLK206 | | 103P.036 | Spur | | | 1.6 | | | 1 | Р | |
| Branch C SP 1.1 2023 2024 S | | | | | | | | | | | - | |
| District West Nass 103#-003 Branch C SP 1.4 2023 2024 S Enanch M SP 1.7 2023 2024 S Enanch M SP 1.7 2023 2024 S Enanch M SP 1.7 2023 2024 P P ST ST ST ST ST ST | DSK103 | WEST NASS | 103P003 | • | | | | | Br | 1 | | |
| Branch M SP 1.7 2023 2024 S | DCK104 | VA/ECT NIACC | 1020 002 | | | | | | | 1 | | |
| WINDOS WINDOW MIL MI | D5K104 | WEST NASS | 103P.003 | | | | | t | | 1 | | |
| MIL M | KWT005 | KWINAMUCK | 103P.045 | | | | | | | | | |
| Vest 4 | | | | | | | | | | | | YES |
| ANU751 WEST NASS 103P.013 Spur C | VET309 | TSEAX | 103P.015 | Spur | M | Р | 5.7 | 2023 | | 2024 | Р | |
| Spur M SP 2.9 2.024 2.025 P | Year 4 | | | | | | | | | | | |
| DIKOO7 NASS VALLEY 103P.035 Spur C T 0.7 2024 2025 P | ANU751 | WEST NASS | 103P.013 | | | | | | | 1 | · | |
| DLK510 NASS VALLEY 103P.035 Spur C T 0.3 2024 2025 P | | | | | | | | | | 1 | - | |
| Branch M | DLK007 | NASS VALLEY | 103P.035 | | | | | | | - | · | |
| Dik510 | | | | | | | | | | | · | |
| Spur M | DLK510 | NASS VALLEY | 103P.035 | | | | | | | | | |
| ML M P 2.2 2024 | | | | | | | | | | | - | |
| ISHS01 | | | | | | | | | | | | |
| SHS10 | DLK900 | TSEAX | | Spur | | | | | | 1 | Р | |
| Spur | | | | | | | | | Br | 1 | | |
| ISHS11 | ISH510 | ISHKHEENICKH | 1031.093 | | | | | - | | - | | |
| Spur | ICLIE44 | ICHICHERMONIA | 1021.002 | | | | | ! | | | | |
| Shear Shea | 15H511 | ISHKHEENICKH | 1031.093 | · · | | | | ! | | | | |
| Year 5 NAS150 WEST NASS 103P.002 Spur C T 2.3 2025 2026 P DLK106 TSEAX 103P.026 Spur C T 1.9 2025 2026 P DLK106 TSEAX 103P.026 Spur C T 1.9 2025 2026 P DLK170 TSEAX 103P.026 Spur C T 0.6 2025 2026 P DLK180 TSEAX 103P.026 Spur C T 0.6 2025 2026 p Branch M T 3.2 2025 2026 p KSD700 KSEDIN 103P.026 Spur C T 1.8 2025 2026 P KSD700 KSEDIN 103P.003 Spur C T 1.0 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 <td< td=""><td>ISHEO2</td><td>ISHKHEEMICKH</td><td>1031 002</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | ISHEO2 | ISHKHEEMICKH | 1031 002 | | | | | | | | | |
| NAS150 WEST NASS 103P.002 Spur C T 2.3 2025 2026 P | 1311002 | IOTALIELINICKII | 1031.033 | - | | | | - | | 1 | | |
| NAS150 WEST NASS 103P.002 Spur | Year 5 | | | , | | - | | | | | | |
| DLK106 | | WEST NASS | 103P.002 | Spur | С | T | 2.3 | 2025 | | 2026 | Р | |
| DLK170 | | | | | | | | | | | | |
| DLK170 TSEAX 103P.026 Spur Branch C T 0.6 2025 2026 p DLK180 TSEAX 103P.026 Spur C T 0.5 2025 2026 P DLK180 TSEAX 103P.026 Spur C T 0.5 2025 2026 P KSD700 KSEDIN 103P.003 Spur C T 1.0 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.0 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.8 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P Spur C T 0.3 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C< | DLK106 | TSEAX | 103P.026 | | | | | 1 | | | | |
| Branch M | A | | 4 2 7 - | | | | | 1 | | - | · | |
| DLK180 TSEAX 103P.026 Spur C T 0.5 2025 2026 P KSD700 KSEDIN 103P.003 Spur C T 1.0 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P Branch M S 7.3 2025 2026 P | DLK170 | TSEAX | 103P.026 | | | | | - | | - | <u>'</u> | |
| RSD700 RSEDIN 103P.003 Spur C T 1.0 2025 2026 P | DI K190 | TCEAV | 1020 026 | | | | | | | - | | |
| KSD700 KSEDIN 103P.003 Spur C T 1.0 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P Spur C T 0.3 2025 2026 P Branch M S 7.3 2025 2026 S | DLK180 | ISEAX | 1037.026 | - | | | | | | | | |
| Spur M S 3.8 2025 2026 P | KSD700 | KSEDIN | 103P.003 | | | | | | | | | |
| KSD701 KSEDIN 103P.003 Spur C T 1.8 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P DLK508 NASS VALLEY 103P.036 Spur C T 1.5 2025 2026 P Spur C T 0.3 2025 2026 P Branch M S 7.3 2025 2026 S | 1.05700 | NOEDIN | 2001 .000 | | | | | | | | | |
| Spur M T 3.4 2025 2026 P | KSD701 | KSEDIN | 103P.003 | • | | | | - | | | | |
| Spur C T 0.3 2025 2026 P Branch M S 7.3 2025 2026 S | | | | | M | | | - | | - | Р | |
| Branch M S 7.3 2025 2026 S | DLK508 | NASS VALLEY | 103P.036 | Spur | С | | | 2025 | | | Р | |
| | | | | | | | | | | | | |
| Road Activity Road Status Structures Descripation Lovel | | | | Branch | M | S | 7.3 | 2025 | | 2026 | S | |
| ROOM ACTIVITY MOOD STOTUS STRUCTURAS CARACTURAS CARACTURAS | | | | | Dood Astinite | Dood Ctature | 1 | | Church | 1 | Doostivation I! | 1 |


| Road Activity | Road Status |
|------------------|--------------------|
| M - Maintenance | P - Permanent |
| C - Construction | S- Semi-Permantent |
| D - Deactivation | T- Temporary |


| Structures |
|----------------|
| Br - Bridge |
| BC-Box Culvert |
| T- Temporary |


| Deactivation Leve | Ī |
|--------------------|---|
| P - Permanent | |
| S- Semi-Permantent | |
| T- Temporary | |

APPENDIX B (con't) - Mainlines and Branches

| Road ID | Length | Blocks accessed | Provincial Secondary Road |
|-------------------------------|--|--|---------------------------------|
| Branch 4600 & Ksedin Creek ML | 14.4 | KSD526, KSD527, KSD525, KSD514, KSD515 | yes |
| Branch 5000 | 8.9 | KSD611, KSD621 | yes |
| Branch 600 10 | | ANU701, ANU702, ANU751, ANU606 | no |
| Canyon ML | 8.5 | CAN001, CAN002 | no |
| Grease Trail ML | 18.9 | DLK506, DLK510, DLK007 | yes |
| Ishkheenickh ML | 24.7 | KSD700, KSD701, ISH501, ISH502, ISH511, ISH510, ISH602 | yes |
| Nass Kinskuch FSR 4.3 KWT | | KWT001 | yes |
| Nass Kwinitahl FSR | Kwinitahl FSR 9.1 KWT003, KWT004, KWT005 | | yes |







Name

Contact: phone or email

K'alii Aks Timber Corporation Proposed 2021-2025 Forest Development Plan Public Consultation

Public Comments:

Venue

Please drop-off your comments at the K'alii Aks office, or contact George Adams at 250 633-3142, or email comments to George Adams at george@npvlp.ca

Date

| | Comments on the Proposed 2021-2025 Forest Development Plan: | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|
| • | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

